

HUSCROFT FLOORING

Creating your exceptional wood floor

Huscroft Flooring offer a range of fully bespoke finished wood flooring in an extensive range of designs; styles to suit any interior.

With endless options available, you can choose the design, dimensions, grade, texture, colour and finish - all produced to order in the UK.

Combining the finest sustainable FSC European Oak with the latest state of the art machinery, finishing products and highly skilled colour technicians, we will together create your bespoke wood floor.



Contents

THE HUSCROFT FLOORING PROCESS	4
THE LAB	5
DESIGNS & DIMENSIONS	6 - 7
GRADING, TEXTURES & TREATMENTS	8 - 9
OUR BESPOKE COLLECTION	10 - 2′
TORCHED FINISHING	22
STATELY RANGE	24 - 25
ESSENTIAL RANGE	26 - 27
LEEDS RANGE	28 - 29
CUMBRIA RANGE	30 - 3′



THE **HUSCROFT FLOORING** PROCESS

Our fully certified Oak is **harvested from sustainable forests** throughout Europe.

Our simple **4 step process** allows you to create your own bespoke wood floor.

Now you've chosen your options, using the latest state of the art machinery and highly experienced craftsmen, our colour technicians will create your wood floor here in the UK from FSC certified European logs. Ensuring the highest British quality and prompt delivery.

We also offer a bespoke colour matching service to create your perfect floor, so please feel free to provide us with a sample you would like us to match



Start creating your bespoke floor by choosing your design from page 6 and 7.



Choose the dimensions available in your design from page 6.



Our range of designs are available in Prime and Rustic grades - shown on page 8 with the majority of items in stock and ready for finishing.



To complete your bespoke floor choose your texture and treatment from page 9 and your colour and finish from pages 10-22.

We use UV cured hardwax oil as our final protective layer. Available in Extra Matt, Satin & Gloss finishes.



THE LAB

Our state of the art Lab houses only the best machinery to achieve our **colour matching service**. With an extensive range of unfinished stock of European Prime and Rustic Oak and 100% Fumed Oak we are able to offer you a prompt colour matching service and final production time.

The process of **sample matching** takes 10 working days as we use the same extensive weighted method of application to ensure precise and consistent application of the oils, stains and textures required.









DESIGNS & DIMENSIONS

Planks

12/3 x 180mm x Random Lengths 600-2200mm

15/4 x 140 / 180 / 220mm x Random Lengths 600-2200mm

20/6 x 140 / 180 / 220 / 260 / 300mm x Random Lengths 1400-2400mm

Herringbone Blocks

Chevrons - 45 Degree Angle

15/4 x 70 x 350mm*

20/5 x 70 x 350mm*

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

Other dimensions are available upon request in either plank, herringbone or chevron.

^{*}These sizes are only available in our tumbled finishes on pages 18 & 19.

Cube	200mm wide
Mansion Weave	200mm wide centre 90mm wide weave
Hexagon	200mm wide
Continuous Versailles	350 x 70mm and 140 x 140mm

Each of the above designs are available in 15/4 or 20/6mm.



PLANK

HERRINGBONE



CHEVRON







CUBE

HEXAGON





CONTINUOUS VERSAILLES





GRADING



Prime Grade

GENERAL	Clear grade with mixture of natural grain.
KNOTS	Occasional pin knots < 10mm.
SAPWOOD	Minimal edge and core sapwood.
COLOUR	Natural variation allowed with no heart wood.
GRADING RULES	Grading rules may vary from country to country and manufacturer to manufacturer. Please check at time of order for a certain product/range.



Rustic Grade

GENERAL	Rustic grade with mixture of natural grain and knots.
KNOTS	Healthy sound knots up to 70mm with dead knots up to 35mm and holes firmly filled.
SAPWOOD	Minimal edge and core sapwood.
COLOUR	Natural variation allowed with some heart wood.
GRADING RULES	Grading rules may vary from country to country and manufacturer to manufacturer. Please check at time of order for a certain product/range.

TEXTURES & TREATMENTS



Brushed

Removing the soft grain enhances the texture of the timber.

Available in light, medium or heavy brushed.



Aged & Tumbled

Each piece of flooring is tumbled to achieve an authentic aged look to the edges and surface of the timber.



Bandsawn

Our bandsawn floors have traditional cut marks across the face of the floor and particularly suit retail and commercial projects.




Fumed

100% Fumed - tones of deep dark brown/black.



Here are the options available.



Please be aware that when you buy smoked or fumed oak there will be a large variation in colour, this is the beauty of having these floors.



Light Smoked

Surface smoked – tones of light to medium brown.



Medium Smoked

Surface smoked – tones of medium to dark brown.



Dark Smoked

Surface smoked – tones of dark brown.



UV Oil Finish

UV cured hardwax oil. Available in Extra Matt, Matt, Satin & Gloss finishes.

OUR COLLECTIONS

PLANK HERRINGBONE CHEVRON

Huscroft Flooring offer you the option of thickness, width and grade in your chosen finish.


Our core range of 36 finishes are a few of our favourites to whet your appetite; with endless options of textures, colours and finishes available.

Pages 12 to 22 show our core range in planks, classic herringbone and timeless chevrons. The majority of these finishes are available in the designs and dimensions shown on pages 8-9, excluding our torched finishes that are only available in planks.

All flooring is produced to order, delivery times to be confirmed at this time.























Bronte Matt Matt UVM






























Bronte Timeworn Aged & Tumbled

Wharfedale Timeworn Aged & Tumbled Light Smoked Wensleydale Timeworn Aged & Tumbled Medium Smoked �









Runswick Sawn Bandsawn Light Smoked Sand �



SOMETHING DIFFERENT

TORCHED FINISHING

Artistry of the flame. A specially designed machine is used to accomplish the torched edges on our floors. This process is repeated to achieve the required result.

As with smoking and fuming the torched process reacts in different ways with the 'nature that is wood'. Wider grain and knots will not burn as fast as the wood around them, especially if that surrounding grain is closer together.

Whilst the effect will always show variation in finish, the position at which the torches are fixed in the machine is kept constant for consistency of the torching.

This process is only available in our range of plank floors on the long edges, not the short ends.



Hepworth Torched Light Smoked �




Hepworth Timeworn Torched Aged & Tumbled Light Smoked �





Hepworth Sawn Torched Bandsawn Light Smoked 💠











Essential Range

9 Colour Range

of Plank and Herringbone Character Grade FSC European Oak.

This range is so very evident of character.

Plank size 12/3 x 180mm in random lengths of 600 -2400mm.

Herringbone size 12/3 x 120 x 600mm.

All are finished in a Matt UV Oil.

All flooring is produced to order, delivery times to be confirmed at this time.

Character grade, a mixture of natural GENERAL grain and knots. Healthy sound knots up to 70mm with dead knots up to 35mm and holes KNOTS firmly filled. <20% of the surface area of the board. SAPWOOD Natural variation allowed with some COLOUR heart wood. Grading rules may vary from country to country and manufacturer to GRADING manufacturer. Please check at time **RULES** of order for confirmation on the characteristics.

















Classic

Tawny

Raven








Chatsworth 💠











Windemere Wasdale









Buttermere 💠

Fairfield �

Crummock 💠

Coniston 💠

